

## Final Product/Process Change Notification

Document #:FPCN23031XG Issue Date:13 Dec 2021

| Title of Change:                          | Capacity Expansion of Assembly and Test operations of onsemi Cebu for SSOT6 package to onsemi Seremban, Malaysia.   |   |  |
|---|---|---|--|
| Proposed First Ship date:                 | 20 Mar 2022 or earlier if approved by customer  |   |  |
| Contact Information:                      | Contact your local onse   | Contact your local onsemi Sales Office or RamilAngelo.Nonato@onsemi.com   |  |
| PCN Samples Contact:                      | Contact your local onsemi Sales Office. Sample requests are to be submitted no later than 30 days from the date of first notification, Initial PCN or Final PCN, for this change. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements. |   |  |
| Additional Reliability Data:              | Contact your local onse   | Contact your local onsemi Sales Office or Aileen.Allado@onsemi.com  |  |
| Type of Notification:                     | days prior to implemer onsemi will consider th  | This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. onsemi will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com |  |
| Marking of Parts/ Traceability of Change: |   | Affected parts from onsemi Seremban, Malaysia will be identified through product marking which follow onsemi marking format.  |  |
| Change Category:                          | Assembly Change, Tes  | Assembly Change, Test Change  |  |
| Change Sub-Category(s):                   | Manufacturing Site Ad   | Manufacturing Site Addition, Material Change, Shipping/Packaging/Marking  |  |
| Sites Affected:                           |   |   |  |
| onsemi Sites                              |   | External Foundry/Subcon Sites   |  |
| onsemi Seremban, Malaysia                 |   | None  |  |

#### **Description and Purpose:**

This Product Change Notification is to announce that onsemi is expanding Assembly and Test Operations of Cebu former Fairchild Semiconductor for SSOT6 package to onsemi Seremban, Malaysia.

- No change on existing OPN. There will be two separate BOMs for onsemi Cebu, Philippines and onsemi Seremban, Malaysia.
- Marking date code & Tape/Reel & Label follow with onsemi standard format.
- Case Outline is compatible with existing SSOT6 solder footprint.
- These products will continue being Pb-free, Halide free and RoHS compliant. Qualification tests are designed to show that the reliability of the impacted devices will continue to meet or exceed onsemi standards.

|                        | Before Change Description | After Change Description |                           |  |
|------------------------|---------------------------|--------------------------|---------------------------|--|
| Assembly & Test Site   | onsemi Cebu, Philippines  | onsemi Cebu, Philippines | onsemi Seremban, Malaysia |  |
| Die Attach             | Eutectic DA               | Eutectic DA              | Eutectic DA               |  |
| Mold Compound          | CK5000A                   | CK5000A                  | G600FB                    |  |
| Case Outline           | 419BL                     | Refer below              |                           |  |
| Product marking change | Ex-FCS Format             | onsemi format            |                           |  |

TEM001793 Rev. E Page 1 of 3



# Final Product/Process Change Notification Document #:FPCN23031XG

Issue Date:13 Dec 2021

#### Case Outline Before and After Change Description:

| Dim  | Before   |      |      | Dim<br>(mm) | After |      |      |
|------|----------|------|------|-------------|-------|------|------|
| (mm) | Min      | Nom  | Max  |             | Min   | Nom  | Max  |
| А    | 0.90     | 1.00 | 1.10 | Α           | 0.90  | 1.00 | 1.10 |
| A1   | 0.00     | 0.05 | 0.10 | A1          | 0.00  | 0.05 | 0.10 |
| A2   | 0.70     | 0.85 | 1.00 | A2          | 0.70  | 0.85 | 1.00 |
| A3   | 0.25 BSC |      | А3   | 0.25 BSC    |       |      |      |
| b    | 0.30     | 0.40 | 0.50 | b           | 0.25  | 0.38 | 0.50 |
| С    | 0.08     | 0.14 | 0.20 | С           | 0.10  | 0.18 | 0.26 |
| D    | 2.80     | 2.90 | 3.00 | D           | 2.80  | 2.95 | 3.10 |
| d    | 0.30 REF |      | d    | 0.30 REF    |       |      |      |
| E    | 2.60     | 2.80 | 3.00 | E           | 2.50  | 2.75 | 3.00 |
| E1   | 1.50     | 1.60 | 1.70 | E1          | 1.30  | 1.50 | 1.70 |
| е    | 0.95 BSC |      | е    | 0.95 BSC    |       |      |      |
| e1   | 1.90 BSC |      | e1   | 1.90 BSC    |       |      |      |
| L1   | 0.60 REF |      | L1   | 0.60 REF    |       |      |      |
| L2   | 0.35     | 0.45 | 0.55 | L2          | 0.20  | 0.40 | 0.60 |
| Ð    | 0°       |      | 8°   | Ð           | 0°    |      | 10°  |

#### **Reliability Data Summary:**

**QV DEVICE NAME: FDC5612** 

RMS: F54344

PACKAGE: TSOT-23-6

| Test  | Specification                      | Condition                                  | Interval  | Results |
|-------|------------------------------------|--|-----------|---------|
| HTRB  | JESD22-A108                        | Ta=150°C, 80% max rated V                  | 1008 hrs  | 0/154   |
| HTGB  | JESD22-A108                        | Ta= 150°C, 100% max rated Vgss             | 1008 hrs  | 0/154   |
| HTSL  | JESD22-A103                        | Ta= 150°C                                  | 1008 hrs  | 0/154   |
| IOL   | MIL-STD-750<br>(M1037)<br>AEC-Q101 | Ta=+25°C, delta Tj=100°C<br>On/off = 2 min | 15000 cyc | 0/154   |
| TC    | JESD22-A104                        | Ta= -55°C to +150°C                        | 1000 cyc  | 0/154   |
| HAST  | JESD22-A110                        | 130°C, 85% RH, 18.8psig, bias              | 96 hrs    | 0/154   |
| uHAST | JESD22-A118                        | 130°C, 85% RH, 18.8psig, unbiased          | 96 hrs    | 0/154   |
| PC    | J-STD-020 JESD-A113                | MSL 1 @ 260 °C                             |           | 0/616   |
| RSH   | JESD22- B106                       | Ta = 265C, 10 sec                          |           | 0/60    |

TEM001793 Rev. E Page 2 of 3



### Final Product/Process Change Notification

Document #:FPCN23031XG Issue Date:13 Dec 2021

#### **Electrical Characteristics Summary:**

The temperature characterization and ESD performance meet datasheet specification. Detail of Electrical characterization result is available upon request.

#### List of Affected Parts:

**Note:** Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the <u>PCN Customized Portal</u>.

| Part Number | Qualification Vehicle |
|-------------|-----------------------|
| FDC2512     | FDC5612               |
| FDC2512-P   | FDC5612               |
| FDC2612     | FDC5612               |
| FDC3512     | FDC5612               |
| FDC3612     | FDC5612               |
| FDC5612     | FDC5612               |
| FDC5612-G   | FDC5612               |
| FDC5614P    | FDC5612               |
| FDC5614P-G  | FDC5612               |
| FDC637AN    | FDC5612               |
| FDC658P     | FDC5612               |

TEM001793 Rev. E Page 3 of 3